

*09/17/93*  
HAZARDOUS WASTE & UNDERGROUND STORAGE TANK INSPECTION REPORT

FILE NO: 007176 ACCOUNT NO: 11479 EPA# :  
FACILITY: EXECUTIVE RV CENTER UST PERMIT NO:  
STREET: 2100 E ORANGETHORPE BLDG# SUITE# PERMIT: NONE  
CITY: [7 ] FULLERTON ZIP: 92631 MAP COORDINATES:  
DISTRICT: 103  
NEAREST CROSS STREET: TSD FACILITY? N  
NEW DBA? NEW BUSINESS? NEW ADDRESS? NEW OWNER? PUBLIC AGENCY?  
NEW INFO:

HW INSPECTION TYPE: 1 NO OF UST ON SITE: 0 UST INSPECTION TYPE:  
NUMBER OF EMPLOYEES: 2 F # TANKS TO BILL : 0 UST COMPLIANCE CODE:  
LAST DATE HW INSPECTED: 02/01/93 LAST DATE UST INSPECTED:  
HW EXEMPT CODE: 1 UST EXEMPT CODE:  
HW STATUS CODE: 1 UST STATUS CODE:

BUSINESS OWNER: BRAD FISCHER PHONE: (714 ) 680-0295  
TANK OPERATOR: PHONE: ( ) -  
CONTACT: BRAD FISCHER PHONE: (714 ) 680-0295

HW BILLING (NAME & MAILING ADDRESS): UST BILLING (NAME & MAILING ADDRESS):

PHONE: ( ) -  
PHONE: ( ) -

PROPERTY OWNER (NAME & MAILING ADDRESS): TANK OWNER (NAME & MAILING ADDRESS):

UNKNOWN  
UNKNOWN

UNKNOWN CA 00000  
PHONE: ( ) -  
PHONE: ( ) -

ENTERED SEP 17 1993

EMERGENCY CONTACTS

DAY: BRAD FISCHER PHONE: (714 ) 680-0295  
NIGHT: PHONE: ( ) -

ACTIVE ICR:  
INSPECTOR #: *207* NAME: *Mike McCall* DATE: *9/13/93*  
Run Date: 08-12-93 HW INSP CNTR: 6 UST INSP CNTR: PAGE 1 OF *4*

Orange County Hazardous Waste Agency  
HAZARDOUS WASTE INSPECTION REPORT

DBA: EXECUTIVE RV CENTER  
ADDRESS: 2100 E ORANGETHORPE BLDG# SUITE#  
: FULLERTON, CA 92631

FILE NO: 007176

ACCOUNT NO: 11479

EPA# : \_\_\_\_\_

PROCESS: RV REPAIR  
WASTE OIL

SIC CODE 1: [7538] GENERAL AUTOMOTIVE REPAIR SHPS

SIC CODE 2: [7500] AUTO REPAIR, SERVICES, GARAGES

1 WASTE ID: [2070.W] ==WASTE (OR SLOP) OIL (T)

SPECIFIC WASTE: \_\_\_\_\_

LOCATION: SHOP

MAX VOL STORED: 55 UNIT: [ 1 ] GALLONS FORM: [ 2 ] LIQUID

HOW STORED: [ 1 ] DRUM => 55G-METAL ONE-TIME-ONLY? N

ANNUAL VOL. GEN.: 220 ANNUAL VOL. DISPOS.: 220

HOW DISPOS.: [ 79 ] RECYCLED OFF-SITE - OTHER-INSIDE CA

HAULER: [2641] ALPHA WASTE SERVICES

2 WASTE ID: [2070.W] ==WASTE (OR SLOP) OIL (T)

SPECIFIC WASTE: OIL FILTERS

LOCATION: STORAGE

MAX VOL STORED: 55 UNIT: [ 10 ] ITEMS FORM: [ 6 ] FILTERS

HOW STORED: [ 2 ] ~~5~~ DRUM => 55G-<sup>metal</sup>PLASTIC ONE-TIME-ONLY? N

ANNUAL VOL. GEN.: 55 ANNUAL VOL. DISPOS.: 55

HOW DISPOS.: [ 90 ] NOT YET DISPOSED OF

HAULER: [9994] NOT YET HAULED

WASTE ID: [ 2089.W ] Ethylene glycol

SPECIFIC WASTE: \_\_\_\_\_

LOCATION: Storage

MAX VOL STORED: 10 UNIT: [ 1 ] gal FORM: [ 2 ] liquid

HOW STORED: [ 5 ] 65 gal plastic ONE-TIME-ONLY? No

ANNUAL VOL. GEN.: 20 ANNUAL VOL. DISPOS.: 20

HOW DISPOS.: [ 90 ] not yet disposed

HAULER: [ 4994 ] not yet hauled

INSPECTION DATE: 9/13/93

PAGE: 2 of 2

Orange County Health Care Agency  
HAZARDOUS WASTE INSPECTION REPORT

DBA: EXECUTIVE RV CENTER  
ADDRESS: 2100 E ORANGETHORPE BLDG# SUITE#  
: FULLERTON, CA 92631

FILE NO: 007176

ACCOUNT NO: 11479

EPA# : \_\_\_\_\_

VIOLATION DESCRIPTIONS

**Waste Determination**

\_\_\_ 001 HAZARDOUS WASTE DETERMINATION NOT MADE FOR ALL WASTE

**EPA Identification Number**

\_\_\_ 051 GENERATOR HAS NO EPA IDENTIFICATION NUMBER

**Manifests**

\_\_\_ 052 MANIFESTS NOT ACCURATELY COMPLETED

\_\_\_ 053 MANIFESTS NOT USED FOR TRANSPORTING HAZARDOUS WASTE

\_\_\_ 054 COPIES OF MANIFESTS NOT AVAILABLE FOR REVIEW DURING INSPECTION

\_\_\_ 055 PROPERLY COMPLETED COPIES OF MANIFEST OR EXCEPTION REPORT NOT SUBMITTED TO DOHS

\_\_\_ 101 MANIFESTS, BIENNIAL REPORT, EXCEPTION REPORTS, TEST RESULTS NOT RETAINED ON SITE FOR AT LEAST 3 YEARS

**Non-Registered Hauler**

\_\_\_ 201 HAZARDOUS WASTE TRANSPORTED OFF SITE BY A NON-REGISTERED HAULER

\_\_\_ 202 HAZARDOUS WASTE NOT TAKEN TO A STATE-PERMITTED FACILITY

**Extremely Hazardous Waste**

\_\_\_ 251 EXTREMELY HAZARDOUS WASTE HANDLED OR DISPOSED WITHOUT A PERMIT

\_\_\_ 252 DEVIATION FROM DOHS-APPROVED HANDLING OR DISPOSAL METHODS MADE FOR EXTREMELY HAZARDOUS WASTE

**Training**

\_\_\_ 301 PERSONNEL NOT TRAINED ON THE JOB OR IN CLASSROOM WITHIN 6 MONTHS OF EMPLOYMENT

\_\_\_ 302 TRAINING NOT CONDUCTED BY PERSON TRAINED IN HAZARDOUS WASTE MANAGEMENT

\_\_\_ 303 TRAINING DOES NOT INCLUDE EMERGENCY RESPONSE PROCEDURES AND EMERGENCY EQUIPMENT USE

\_\_\_ 304 COMPLETE PERSONNEL TRAINING RECORDS ARE NOT BEING MAINTAINED ON SITE

**Contingency Plan**

\_\_\_ 351 GENERATOR HAS NOT PREPARED CONTINGENCY PLAN OR HAS NOT MAINTAINED THE PLAN AT THE SITE

\_\_\_ 352 CONTINGENCY PLAN DOES NOT INCLUDE ALL REQUIRED INFORMATION

\_\_\_ 353 EMERGENCY COORDINATOR IS NOT FAMILIAR WITH ALL ASPECTS OF SITE OPERATION & EMERGENCY PROCEDURES

**Emergency**

\_\_\_ 354 RELEASED WASTE OR CONTAMINATED EQUIPMENT IS NOT PROPERLY TREATED, STORED OR DISPOSED

\_\_\_ 355 REPORT NOT SUBMITTED TO STATE WITHIN 15 DAYS OF EMERGENCY INCIDENT

\_\_\_ 356 STATE & LOCAL AUTHORITIES WERE NOT NOTIFIED BEFORE RESUMING OPERATION AFTER AN EMERGENCY

\_\_\_ 401 APPROPRIATE FIREFIGHTING, SPILL CONTROL, AND DECONTAMINATION EQUIPMENT NOT AVAILABLE

\_\_\_ 402 ADEQUATE TESTING/MAINTENANCE FOR EMERGENCY NOT CONDUCTED

\_\_\_ 403 APPROPRIATE COMMUNICATIONS/ALARM SYSTEMS NOT AVAILABLE

\_\_\_ 404 ADEQUATE AISLE SPACE NOT AVAILABLE FOR UNOBSTRUCTED MOVEMENT

\_\_\_ 405 ARRANGEMENTS WITH APPROPRIATE LOCAL AUTHORITIES FOR EMERGENCY RESPONSE HAVE NOT BEEN MADE

**Labeling**

\_\_\_ 452 CONTAINERS NOT VISIBLY MARKED WITH THE BEGINNING DATE OF ACCUMULATION

\_\_\_ 453 EACH CONTAINER AND TANK NOT CLEARLY LABELED "HAZARDOUS WASTE" WITH REQUIRED DETAILS



Orange County Health Care Agency  
HAZARDOUS WASTE INSPECTION REPORT

DBA: EXECUTIVE RV CENTER  
ADDRESS: 2100 E ORANGETHORPE BLDG# SUITE#  
: FULLERTON, CA 92631

FILE NO: 007176

ACCOUNT NO: 11479

EPA# : \_\_\_\_\_

Storage

- ☐ 451 HAZARDOUS WASTE STORED MORE THAN 90 DAYS
- ☐ 454 WASTE IS NOT PACKAGED, LABELED, AND PLACARDED ACCORDING TO 49 (DOT)
- ☐ 455 EACH CONTAINER OF 110 GALLONS OR LESS IS NOT PROPERLY LABELED
- ☐ 501 CONTAINERS ARE NOT IN GOOD CONDITION OR ARE NOT MANAGED TO PREVENT LEAKS
- ☐ 502 CONTAINERS ARE NOT COMPATIBLE WITH THE WASTE IN THEM
- ☐ 503 CONTAINERS ARE NOT STORED CLOSED
- ☐ 504 CONTAINERS ARE NOT INSPECTED WEEKLY FOR LEAKS OR DEFECTS
- ☐ 505 IGNITABLE OR REACTIVE WASTES ARE NOT STORED 50 FT. FROM FACILITY PROPERTY LINE
- ☐ 506 INCOMPATIBLES ARE NOT MANAGED TO PREVENT CONTACT OR MIXING
- ☐ 507 INCOMPATIBLES ARE NOT STORED OR PROTECTED IN SEPARATE CONTAINERS
- ☐ 700 FACILITY NOT MAINTAINED TO MINIMIZE FIRE, EXPLOSION, OR RELEASE OF HAZARDOUS WASTE

Closure

- ☐ 800 FACILITY HAS NOT BEEN CLOSED IN A MANNER WHICH WILL PROTECT HUMAN HEALTH AND THE ENVIRONMENT

The above noted items represent violations of the California Health and Safety Code, Chapter 6.5, and California Code of Regulations, Title 22, and shall be corrected as indicated

\*452 & 453) Each container and tank not clearly labelled  
hazardous waste w/ required details. Drums must  
have ① "Hazardous Waste", ② accumulation date, ③  
what is drum, physical state, ④ hazardous property,  
⑤ Name & address of business.

I DECLARE THAT I HAVE EXAMINED AND RECEIVED A COPY OF THIS 4 PAGE INSPECTION REPORT.

PRINT NAME & TITLE: \_\_\_\_\_

SIGNATURE: Bruce Wick

DATE: 9/13/93